#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

the Application of:

Mena et al.

Docket No.:

TI-29612

Serial No.: 09/895,524

Examiner:

Greene, P.

Filed:

06/28/01

Art Unit:

2826

For:

HDP LINER LAYER PRIOR TO HSQ/SOG DEPOSITION TO REDUCE

AMOUNT OF HSQ/SOG OVER THE METAL LEAD

Declaration under 37 C.F.R. §1.131

April 24, 2003

**Commissioner of Patents** PO Box 1450 Alexandria, VA 22313-1450 MAILING CERTIFICATE UNDER 37 C.F.R. §1.8(A)

I hereby certify that the above correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria,

VA 22313-1450 on

5-16-0

Marianna Smith

20

25

30

10

15

We hereby declare:

That we are the co-inventors for the above identified patent application;

That we conceived and reduced to practice in the United States the invention claimed in the above identified patent application prior to August 4, 1999, the filing date of the cited U.S. Patent No. 6,174,808 to Jang et al. Attached Exhibit A is a copy of dated records (having the dates removed) relating to this conception and reduction to practice wherein the use of a HDP liner prior to HSQ/SOG deposition is discussed. Reduction to practice is evidenced by pages 6-8 of Exhibit A. Pages 6-8 show SEM photographs of a partially fabricated integrated circuit having an HDP liner layer wherein a portion of the HDP liner layer over the metal leads has sloped edges, a gap-fill layer (HSQ) filling a space between closely-spaced leads and a dielectric layer (PETEOS) over the gap-fill layer.

That Exhibit A, which relates to the aforementioned conception and reduction to practice, corresponds to the invention broadly disclosed and claimed in the above-identified patent application.

We further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

5/15/03

Date

5

10

15

20

5/15/03 Date

5/15/03

Date

Rafael A. Mena

Philip E. Hecker, Jr.

Page 2

# \*TI INVENTION/INNOVATION DISCLOSURE \*

1379 MAV

Send completed form to:

TI Corporate Patents
Attn: Agatha Gutierrez PC DROP PCN1
(MSGID "AGKG"; FAX: 995-3170; M/S 219)

If you are employed by a TI subsidiary company, send this form to your site coordinator.

Helpline: Gary Honeycutt in patent activity 995-1363 (msgid "gch2"; fax: 995-3170)

Printed disclosure forms:

Obtain from your departmental secretary or Agatha Gutierrez - msgid "agkg"

You can also obtain a soft-copy version of this form using the tiolr system.

To view the form type the following command in ims:

#### T INVENT.FORM

If you don't already have the form on your system, the patent activity recommends that you down-load the form into your own workstation using the ims 'ccpcxfr' facility.

If you don't know how to use tiolr, please discuss it with your system administrator. Besides being able to get the invention disclosure form, there is a wealth of other information available on tiolr.

To prepare your invention disclosure, follow the step-by-step directions on the form that follows. Type or print answers to the questions in the spaces provided.

\*\*\*Please provide answers to all of the questions\*\*\*

If you already have an engineering spec, please send it with your invention disclosure. Computer documentation and drawings, marketing foils, notebook entries, paper manuscripts, articles, and any other material that you already have can be copied or sent electronically.

***********************
DISCLOSURE FORM FOLLOWS
***********

DOCKET NO. TI 296/2
**********************
IF ELECTRONICALLY TRANSMITTED, PROCESSING OF YOUR DISCLOSURE
CANNOT BE COMPLETED WITHOUT A FOLLOW-UP COPY SIGNED AND
DATED BY ALL INVENTORS AND AT LEAST ONE WITNESS.
******************
1. Please suggest a descriptive title for your invention:
Use of an HDP (high density plasma oxide) Liner Prior to HSQ/SOG (spin on glass) Deposition to Reduce the Amount of HSQ/SOG over the Metal Lead.

2. What is the problem solved by your invention?

Currently, outgassing of the HSQ/SOG prevents complete filling of the via during tungsten nucleation. The voiding of the via results in open circuits and subsequent lower process and multi-probe yields. This problem is worsened as the HSQ/SOG thickness is increased in order to guarantee adequate gap fill. Increasing the HSQ/SOG thickness in order to fill the gaps between the metal leads results in a "pile-up" of the HSQ thickness on top of the metal lead. When making contact to the metal lead, the increased amount of HSQ/SOG on the metal lead results in more severe outgassing.

3. What is your solution to the problem?

The HDP process consists of both a deposition and a sputter-etch component. The sputter-etch component results in an oxide with a triangular, 45 degree slope sitting on top of the metal lead (please refer to attached SEM x-sections). The HDP oxide profile results in an effective decrease in the metal surface area which limits the amount of HSQ/SOG that is deposited on the lead.

4.	When was your solution first conceptually or mentally complete?
	Date:/
	•
5.	What is the first tangible evidence of such completion?
	Date:/

6. What is different about your solution, compared with other solutions to the same problem?


Other solutions are focused around effectively outgassing the HSQ/SOG prior to via barrier metal processing following the via-etch clean up step.

Outgassing of the HSQ/SOG is carried out by adding a lengthy, high temperature bake. The extended high temperature bake adds a considerable amount of processing time (up to 5 minutes a wafer during barrier metal processing) and significantly impacts the thermal budget for subsequent processing. By adding an HDP liner and reducing the amount of HSQ/SOG over the lead, both the temperature and length of the degas step is significantly decreased. The HDP liner can be further used to replace the current PETEOS oxide liner that is required to protect the metal lead from the same outgassing of the HSQ.
The proposed HDP liner does not add any extra required process steps, insures adequate gap-fill and eliminates the need for an extended HSQ degas step.
8. What TI products, processes, projects or operations currently implement your invention? None
9. What is the date of the first implementation?
10. What record exists to prove this date? Engineering Lot 9120705
11. Is there any future implementation planned? (Y/N) NO  If so, please furnish the TI PART No. or project name;
12. Has the invention been published or disclosed to anyone outside of TI?  (Y/N)No When? / If planned / /  When? / (Catalog, advertising, data book, application note, conference paper, magazine article, TI, TJ, proposal document.)  Was there a nondisclosure agreement (NDA)?  (Y/N)
13. Has a TI product incorporating the invention been Publicly introduced, quoted, sampled or shipped? (Y/N)No When?// If plannedwhen?//
14. Was the invention conceived or first implemented in  The performance of a government contract or subcontract?  (Y/N)_No Contract #:

*********	*******	*******	********	*******				
THE INVENTION DESCRIPTION DESCRIPTION OF A TI SUBSTRICT OF A TI SU	MENT AGRE	EMENT WITH SPECIFY):		STRUMENTS				
Has this disclosure been pre (unsigned)? (Y/N)No	-	to the Patent	Department	electronically				
INVENTORS								
(Printed) Inventor 1:	_Rafael A. Men	a						
Home Address: _969 R	utgers Court			<del></del>				
Allen	Tx	75002						
AllenCity	State	Zip	County					
MSGIDRAF								
Employee #:_196499	TI Div	vision & Cost Co	enter003	_1295				
Phone #: (972)_9277	Phone #: (972)_9277702Country of Citizenship:U.S							
(Signed)	1. Man		<del></del>	352 Mail Station				
		Date	;	iviali Station				
(Printed) Inventor 2:	ip E. Jr Phil Hecker	•						
Home Address:	19535 2	Ronder 1	Trail	····				
Dallas	TX	75252	Colli					
City	State	Zip	County					
MSGID _PHL								
Employee #:0186579	TI 1	Division & Cost	Center003	1295_				
Phone #: (_972)927_	7675Cd	ountry of Citizen	ship:U.S.					
(Signed)	Herk			352				
		Date		Mail Station				


	(Printed) Inventor 3:Al	fred Griffin_	۲۰		<del></del>
	Home Address: 53	35 MER	CEDES AVE		
	Davis		75200	USA	
	City	State	Zip	County	
	MSGID _OWL				
	Employee #:_0199812	TI Di	vision & Cost Ce	nter_0031295_	
	Phone #: (972_)927	7674C	ountry of Citizens	ship:U.S	
	(Signed) UKU	Trust (	Date	_ <u>PD</u> Mail S	MS_ Station
WITN	IESSES				
	This invention disclosure v	with any attac	hments was read	and understood by	me on:
	Witness 1		Date	•	
	This invention disclosure v	with any attac		and understood by	me on:
	Witness / 2		Date		

#### **HDP** Liner Prior to HSQ Deposition



### **HDP Liner Prior to HSQ Deposition**


#### **PETEOS**



HSQ

## **HDP Liner Prior to HSQ Deposition**

#### **PETEOS**



HSQ